

# SAFETY DATA SHEET

Issuing Date 28-Nov-2017 Revision Date 26-Nov-2017 Revision B

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Name** P400SC<sup>TM</sup> Waterworks<sup>TM</sup> Cleaning Solution

Other means of identification

Product Code(s) SDS-400625 EN A

PN (Part Number) 300-00600

UN/ID no. UN1823

None **Synonyms** 

Recommended use of the chemical and restrictions on use

**Recommended Use** Additive manufacturing Solvent

No information available Uses advised against

Details of the supplier of the safety data sheet

**Supplier Address** 

Stratasys Corporate headquarters United

States

9600 West 76th Street Suite #108

Eden Prairie, MN 55344

**United States** 

Local: +1 952-294-3900 Phone: +1 952-937-3000 **Manufacturer Address** 

Produced under authority of Stratasys, Ltd.

Manufactured by: Seacole CRC, LLC

13505 Industrial Park Boulevard

Plymouth, MN 55441

Emergency telephone number

**Emergency Telephone** +44 1865 407333 - Global - English Language response

+44 1235 239670 - Europe - Multi lingual response +1 215 207 0061 - USA - Multi-lingual response +65 3158 1074 - Asia Pacific - Multi lingual response +61 2 8014 4558 - Australia - English Language response

+86 512 8090 3042 - China - Chinese response

E-mail address info@Stratasys.com

### 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

EN / AGHS Page 1/11

### Danger

#### Hazard statements

Harmful if inhaled

Causes severe skin burns and eye damage



The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Powder

Physical state Solid

Odor None

# **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable.

Unknown acute toxicity

3.85 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%	Proprietary
Sodium carbonate	497-19-8	60 - 80	*
Sodium hydroxide	1310-73-2	10 - 30	*
Disodium metasilicate	6834-92-0	1 - 3	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

**Eve contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8). Avoid breathing

dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See

section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

EN / AGHS Page 3/11

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

> ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

See Section 12 for additional Ecological Information. **Environmental precautions** 

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Prevention of secondary hazards May form combustible dust concentrations in air if small particles are generated during

further processing, handling or by other means. Avoid dust accumulation in enclosed

space. Prevent dust cloud. Remove all sources of ignition.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Advice on safe handling

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from **Storage Conditions** 

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

The following ingredients are the only ingredients of the product above the cut-off level (or **Exposure Limits** 

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

### **Appropriate engineering controls**

EN / AGHS Page 4/11

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face protection shield.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Avoid breathing dust/fume/gas/mist/vapors/spray.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Powder
Odor None
Color White

Odor threshold No information available

Property Values Remarks • Method

No data available pН None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility in other solvents No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known No data available None known **Decomposition temperature** Kinematic viscosity No data available None known No data available None known

Dynamic viscosityNo data availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Softening point
Molecular weight
VOC Content (%)
No information available
No information available
No information available

EN / AGHS Page 5/11

Liquid DensityNo information availableBulk densityNo information available

### 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products Burning produces obnoxious and toxic fumes. Carbon monoxide. Carbon dioxide (CO2).

Aldehydes.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

# Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

### Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5,544.00 mg/kg
ATEmix (dermal) 5,546.00 mg/kg
ATEmix (inhalation-dust/mist) 1.70 mg/l

**Unknown acute toxicity** 3.85 % of the mixture consists of ingredient(s) of unknown toxicity

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m <sup>3</sup> ( Rat ) 2 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Disodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium carbonate	242: 120 h Nitzschia	300: 96 h Lepomis	-	265: 48 h Daphnia
497-19-8	mg/L EC50	macrochirus mg/L LC50		magna mg/L EC50
		static 310 - 1220: 96 h		
		Pimephales promelas		
		mg/L LC50 static		
Sodium hydroxide	-	45.4: 96 h Oncorhynchus		-
1310-73-2		mykiss mg/L LC50 static		
Disodium metasilicate	-	210: 96 h Brachydanio	-	216: 96 h Daphnia
6834-92-0		rerio mg/L LC50		magna mg/L EC50
		semi-static 210: 96 h		
		Brachydanio rerio mg/L		
		LC50		

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number D002.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Sodium carbonate 497-19-8	Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

# 14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class

Packing group

Special Provisions IB8, IP2, IP4, T3, TP33

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

**Emergency Response Guide** 154

Number

**TDG** 

UN/ID no. UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class

Packing group

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

**MEX** 

**UN/ID no.** UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing group

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

ICAO (air)

**UN/ID** no. UN1823

Proper Shipping Name SODIUM HYDROXIDE, SOLID

Hazard Class 8
Packing group ||

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

IATA

UN Number UN1823
Transport hazard class(es) 8
Packing group II
ERG Code 8L

**Description** UN1823, Sodium hydroxide, solid, 8, II

**IMDG** 

UN Number UN1823
Transport hazard class(es) 8
Packing group II

**EmS-No.** F-A, S-B

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

RID

\_\_\_\_\_

EN / AGHS Page 8/11

UN Number UN1823

UN proper shipping name SODIUM HYDROXIDE, SOLID

Transport hazard class(es) 8
Packing group II
Classification code C6

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

Labels 8

**ADR** 

UN Number UN1823

UN proper shipping name SODIUM HYDROXIDE, SOLID

Transport hazard class(es) 8
Packing group II
Classification code C6
Tunnel restriction code (E)

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

Labels 8

**ADN** 

UN/ID no UN1823

UN proper shipping name SODIUM HYDROXIDE, SOLID

Transport hazard class(es) 8
Packing group II
Classification code C6

**Description** UN1823, SODIUM HYDROXIDE, SOLID, 8, II

Hazard label(s) 8 Limited quantity (LQ) 1 kg

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No

.....

Sudden release of pressure hazard No Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ſ	Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
-	1310-73-2			RQ 454 kg final RQ

#### **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

#### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	Х	X	Х
Sodium sulfate 7757-82-6	-	X	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and chemical properties 
HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Issuing Date 09-Dec-2015

26-Nov-2017

**Revision Note** No information available.

Disclaimer

**Revision Date** 

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated

\_\_\_\_\_\_

EN / AGHS Page 10 / 11

herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet. This Safety Data Sheet remains our exclusive property and should not be reproduced, modified or distributed without our prior written consent.

**End of Safety Data Sheet** 

.....

EN / AGHS Page 11 / 11